MUNICI	PALITY		_
Form 1-General Information (Com 1. Type of Permit Needed (Check app Preliminary review (\$150) New Construction (preliminary New Construction (\$300) Alteration: No Expansion or Chang Alteration/Expansion or Chang Alteration/Malfunctioning Syste Deviation from Standards (\$22 Repairs to Existing System (\$7 Revision (after initial approval (review)(\$150) nange of Use(\$225) e in Use(\$225) em(\$225) 5) Is existin	ge) eptic Permit Renewal (\$7	
Location of Project: Municipality	Block No	Lot No	
Street Address			
3. Name of Applicant (print):			
Present Address:			
Applicant's Phone Number:			
4. Type of Facility: Residential Commercial/Institutional, Spec Specify Type of Establishment:	-		
Type of Wastes to be Discharged:Sanitary Sewage	Industrial Waste		
Other-Specify Type:			
6. Water Supply: Individual _	Municipal		
7. Other Approvals/Certification/Waive Pinelands Commission U.S. Army Corps of Engineers NJDEP-Bureau of Flood Plain Other-Specify:	Management	ication)	
I hereby certify that the information for crime in this State and subject to pre-		oplication is true. I am a	ware that false swearing is a
Signature of Applicant	Da	te	
Application Denied-Reason for De	FOR AGENCY USE ONL		
Application Approved	Application Approved S	ubject to Approval by NJ	DEP
Date of Action Sig	nature		

(Revised February 17, 2015)

MUNICIPALITY

Fc	Form 2a-General Site Evaluation Data Block Lot	
1.	1. Name of Site Evaluator (print):	
2.	2. Business Address:	
3.	3. Business Phone:	
	4. Special Site Limitations Identified (Check appropriate categories): Flood Plains Bedrock Outcrop Wetlands Excessively Stony Disturbed Ground Sink Holes Sand Dunes Steep Slopes Other-Specify	
5.	5. Soil Logs-Enter on Form 2b-Use one sheet for each soil log.	
6.	6. Considerations Relating to Disturbed Ground:	
	a) Type of Disturbance (Check appropriate categories) Filled Area Excavated Area Re-graded Area Subsurface Drains Other-Specify	
	b) Pre-existing Natural Ground Surface Elevation Relative to Existing Ground Surface Method of Identification	
	c) Suitability of Disturbed Ground Unsuitable: Objects Subject to Disintegration or Change in Volume Excessively Coarse Proctor Test performed-% Standard Proctor Density =	
	7. Hydraulic Head Test: a) Hydraulically Restrictive Horizon: Depth Top to Bottom b) Piezometer A: Depth to Bottom Depth of Water Level(24 hrs) c) Piezometer B: Depth to Bottom Depth of Water Level(24 hrs) d) Witnessed by Signature Date	
	8. Attachments (Check items included): Site Plan Key Map Showing Location of Site on U.S.G.S. Quadrangle or Other Accurate Map Key Map Showing Location of Site on U.S.D.A. Soil Survey Map Other-Specify	
ac	9. I hereby certify that the information furnished on Form 2a of this application (and the attachments thereto accurate. I am aware that falsification of data is in violation of the Water Pollution Control Act (N.J.A.C. 58:10 and is subject to penalties as prescribed in N.J.A.C. 7:14-8.	
	Signature of Soil Evaluator Date	
	Signature of Professional Engineer License #	

	MUNICIPALITY		
Form 2b - Soil Lo	og and Interpretation Lot	Block	
1. Log Number _	Method (Check One): _	Profile Pit	Boring
2. Soil Log			
Depth (inches) Top-Bottom	Munsel Color Name and Symbo Estimated Volume % Coarse Fr Moist or Dry Consistence; Mottli	agment, If Present; S	tructure:
3. Ground Wate	r Observations:		
Seep	page-Indicate Depth		
Pit /E	Boring FloodedDepth after	Hours	
Fract	Zones (Check Appropriate Categori tured Rock Substratum - Depth to To sive Rock Substratum - Depth to To	Гор	
Exce	essively Coarse Horizon - Depth To essively Coarse Substratum - Depth	p to Bottom n to Top	
	aulically Restrictive Horizon - Depthaulically Restrictive Substratum - D		
	hed Zone of Saturation - Depth Top onal Zone of Saturation - Depth to		
5. Soil Suitability	·	•	
	ita is a violation of the Water Polluti		cation is true and accurate. I am aware that A.A. 58:I0A-I et seq.) and is subject to penalties a
Signature of S	ite Evaluator	Date	
Signature of P	rofessional Engineer	License	#

MUNICIPA	ALITY			
Form 3a. Soil Permeability Data	Lot	Block		
Assign a number for each test and a letter 3f or 3g. Use one sheet for each separate	er for each test re	eplicate. Show test da	ata and calculations on Form 3b, 3d	c, 3d, 3e,
Summary of Date - Enter date for each	h test replicate o	on a separate line.		
Test Replicate Type of Test (number) (lette	r) (inches)			
*For tube permeameter, pit-bailing and p rating give soil permeability class number result as positive if basin drains complete	r. For percolatio	n test report in minute	s per inch. For basin flooding test	
Design Permeability/Percolation Rate: Average of Test Replicates Slowest of Replicates				
Type of Limiting Zone Identified	Test Numb	oer		
4. Attachments (Check items included):				
Form 3b - Tube Permeamete Form 3c - Soil Permeability C Number of Sheets Form 3d - Percolation Test D	Class Rating Tes	t Data -		
Form 3d - Percolation Test D Form 3e - Pit-Bailing Test Da Form 3f - Piezometer Test Da Form 3g - Basin Flooding Te	ata - Number of S ata - Number of	Sheets Sheets		
5. I hereby certify that the information fur accurate. I am aware that falsification of and is subject to penalties as prescribed	data is a violatio	on of the Water Pollution		
Signature of Soil Evaluator		Date		
Signature of Professional Engineer		License #		

(Revised February 17, 2015)

MUNICIPALITY _____

Form 2b. Tubo Dormoomotor Toot Data		
Form 3b. Tube Permeameter Test Data		
Test Number Replicate (Le	etter) Date Collected	
2. Material Tested Fill Test in	n Native Soil - Indicate Depth	
3. Type of Sample: Undisturber	d Disturbed	
•	Sample Tube, R, in cmhes	
Sample Volume (L x 2.54 cm./inch x 3.	Samples Only): Sample - Wt. of Empty Tube), grams I4R), cc ume), grams/cc	
6. Standpipe Used: No Indicate Internal Radius, cm	_Yes	_
	est Basin, in inches: H	-
8. Rate of Water Level Drop (Add addition	nal lines if needed):	
	Length of Test Interval, T, minutes	
9. Calculation of Permeability: K, (in/hr) = 60 min/hr x r /R x L(in)/T(mi = 60 min/hr x/ x =		
10. Defects in the Sample (Check approprNoneCracksSoil/Tube ContactLarDry SoilSmearingOtherSpecify	Root ChannelsRoot Channels ge Gravel Large RootsCompaction	
	nished on Form 3b of this application is the Water Pollution Control Act (N.J.S.A. 58:1 7:14-8.	
Signature of Soil Evaluator	Date	
Signature of Professional Engineer	Date	

MUNICIPALITY	
Form 3c. Soil Permeability Class Rating Data	
1. Test Number Replicate (Lett	rer)
2. Sample Depth Soil Pit/Boring Number	er Date Collected
3. Coarse Fragment Content: Total Weight of Sample, W.T., grams Weight of Material Retained on 2mm sieve, V Wt. % Coarse Fragment (W.C.F./W.T. x 100)	V.C.F., grams
4. Oven Dry Weight (24 hrs, 105 C) of 40 Gram grams, Wt	n Air Dry Sample,
5. Hydrometer Calibration, Rc	
 Hydrometer Reading40 seconds, grams, R Temperature of Suspension, F 	
7. Corrected Hydrometer Reading, grams, R1'_	
8. Hydrometer Reading 2 hours, grams, R2 _ Temperature of Suspension, F	
9. Corrected Hydrometer Reading, grams, R2'_	
10. % sand = (Wt R1')/Wt. x 100 = ()/ x 100 =
11. % clay = R2'/Wt. x 100 =/	x 100 =
 12. Sieve Analysis: a. Oven Dry Wt. (2 hrs., 105 C) Total Sand (Soil Retained in 0.047 mm Sieve), gram b. Wt. of Fine Plus Very Fine Sand Fraction (Sand Passing 0.25 mm Sieve), grams _ c. % Fine Plus Very Fine Sand (b/a) 	s
13. Soil Morphology (Natural Soil Samples Only Structure of Soil Horizon Tested Consistence of Soil Horizon Tested: Dry	
14. Soil Permeability Class Rating (Based upon replicate and other replicate samples	
15. I hereby certify that the information furnished application is true and accurate. I am aware a violation of the Water Pollution Control Act and is subject to penalties as prescribed in N	that falsification of data is (N.J.S.A. 58:10A-1 et seq.)
Signature of Site Evaluator	Date
Signature of Professional Engineer	License #

	MUNICIPALITY		
Form 3d. Percolation Test	Data		
1. Test Number	Replicate (Lette	er)	_ Date Tested
2. Depth			
3. Pre-soak: Sandy Textured So Required for 12 inche	oil Only, Shortened Pes of Water to Drain A		
Four Hour Pre-soa Test Hole Drair Test Hole Did N	ned Within 16 to 24 H	ours After Pre-	
 Rate of Fall Data: a. Time Interval Selected b. Record the Drop in V 1/10th - Inch On the L 	later Level During Ea	ach Time Interv	val to the Nearest
Water, Start of Interval c	Depth of Drop Water, End W If Interval Level (inches) (inches	ater	
5. Percolation Rate: a. Time, minutes, Requ b. Percolation Rate = a/		op in Water Le	
6. I hereby certify that the application is true and a a violation of the Water and is subject to penaltic	ccurate. I am aware Pollution Control Act	that falsificatio (N.J.S.A. 58:10	n of data is DA-1 et seq.)
Signature of Site Evaluator		Date	
Signature of Professional E	Engineer	I	icense #

(Revised February 17, 2015)

MUNICIPALITY
Form 3e. Piezometer Test Data
1. Test Number Reference Soil Log Date Tested
2. Diameter of Soil Auger, in Depth of Test Hole, in Inside Radius of Pipe, R, in
3. Depth to Apparent Static Water Level, in
4. Measure and Record:
Water Depth, Start of Time at End of Time at Length of Interval Start of Interval End of Interval inches, d Interval, inches, d Interval min, t
5. Depth of Water Level After 24 Hour Stabilization Period, D ,in
6. Value of A-parameter
7. Calculation of Permeability:
K, in/hr = $[(3.14R)(A \times t)] \times [1n(d - D / d - D)] \times 60 \text{ min/hr}$
= [(3.14)/(x)] x [1n(/)]
x 60 min/hr =
8. I hereby certify that the information furnished on Form 3e of this application is true and accurate. I am aware that falsification of data is a violation of the Water Pollution Control Act (N.J.S.A. 58:10A-1 et seq.) and is subject to penalties as prescribed in N.J.A.C. 7:14-8.
Signature of Site Evaluator Date

Signature of Professional Engineer _____ License # _____

MUNICIPALITY _____

(Revised February 17, 2015)

F	orm 3f. Pit-Bailing Test Dat	a				
1.	Test Number	_ Reference Soil	Log	Date Teste	d	_
2.	Using the reference level	established, me	asure and record	the following	j :	
	Depth to Bottom of Pit, fDepth to Water Level afDepth to Impermeable S (If depth is unknown assHeight of Water Level A (H = D - D)Length of Time Interval,	ter 2 hr. Stabiliza Stratum, ft, D sume it to be 1.5 bove Impermeal	times the depth o	of the pit.)		
3.	At the interval chosen, red	cord the following	g data in the table	below:		
	Time of Measurement, t Depth of Water Level Be Water Surface Dimension	elow Reference	Level, d , inches_			
4.	Calculate the following va	lues and enter ir	the table below:			
	Water Surface Area, ft,Water level Rise, h (SAve. Water Surface AreAve. Height of Water Le of d and previous valuePermeability, in/hr, K (C K = [h /T] x [A /2.27	ubtract current va, ft, A (Take a evel Above Imperior of d, convert to Calculate using for (H -h)] x 60 m	average of A and rmeable Stratum, ft, and subject fro ormula): nin/hr	previous A) ft, h (Take a)	
	t d (in.) I,w (ft.) A (ft)	h (in.) A (fi	:) h (ft) K			
t				XXXXXXXX	<xx xxxxxx<br=""></xx>	XXXXX - - -
t t t				XXXXXXX		- XXXXXX - -
t t t				XXXXXXXX	×xx xxxxxx —————————————————————————————	- XXXXXX - -
t						_

CONTINUED ON FOLLOWING PAGE

MUNICIPALITY	
Form 3f. Pit-Bailing Test Data (continued)	
5. Record the Following Data:	
Final Depth of Pit, D ,ft	ft, H
 6. Re-calculation of K using data from section 5 above and from interval of section 4: K = [h /t] x [A /2.27(H -h)] x 60 min/hr = [/] x [/2.27 ()] x 60 min/hr = 	
7. I hereby certify that the information furnished on Form 3f of that falsification of data is a violation of the Water Pollution Control Act (N.J.S.A. 58:10/4 and is subject to penalties as prescribed in N.J.A.C. 7:14-8.	
Signature of Site Evaluator	_Date
Signature of Professional Engineer	License #

MUNICIPALITY
Form 3g. Basin Flooding Test Data
1. Test Number Reference Soil Log Date Tested
2. Depth of Pit, ft
3. Area of Pit, ft
4. Description of Rock Substratum Within Test Zone:
Type of Rock
Open (Wide), Infilled with Fines Width of Openings, mm Tight (Closed) Orientation of Fractures: Horizontal (Parallel to Pit Bottom Or Nearly So Inclined
Not Rippable by Machine, Explosives Used
5. Time of First Basin Flooding Volume of Water Added, Gal
6. Result of First Basin Flooding: Basin drained within 24 Hrs Indicate Time: Basin Not Drained within 24 Hrs.
7. Time of Second Basin Flooding
8. Result of Second Basin Flooding:
Basin Drained within 24 HrsIndicate Time
Basin Not Drained within 24 Hrs.
 I hereby certify that the information furnished on Form 3g of this application is true and accurate. I am aware that falsification of data is a violation of the Water Pollution Control Act (N.J.S.A. 58:10A-1 et seq.) and is subject to penalties as prescribed in N.J.A.C. 7:14-8.
Signature of Site Evaluator Date
Signature of Professional Engineer License #

MUNICIPALITY	
Form 4. General Design Data	
Volume of Sanitary Sewage, gal. Residential: No. of Dwelling Units Total No. of Bedrooms Commercial/Industrial Indicate time of catablishment and show mathed a	
Commercial/Industrial - Indicate type of establishment and show method owater meter data, indicate source of data, frequency of readings, average daily flow,	
2. Alterations or Repairs	
a) Reason for Alteration or Repair (Check appropriate categories):	
Expansion or Change in Use Upgrade Existing Facilities Other Specify	
b) Describe Nature of Alteration or Repairs:	
System Components: a) Grease Trap Capacity, gals	
Show Calculation Used:	
b) Septic Tank Capacities, gals: First (Single) Compartmentgal	
Second Compartmentgal Third Compartment	gal
c) Effluent Distribution	
Method: Gravity Flow Gravity Dosing Pressure Dosing	
Dosing Device: Pump Siphon d) Dosing Tank Capacities, gals: Total Capacity Dose Volume	
Reserve Capacity	
e) Laterals: Number Total Length Pipe Size Spacing	
f) Connecting Pipe: Size Length	
g) Manifold: Size Length	
h) Disposal Field: Type of Installation	
Design Permeability (Percolation Rate)	
Trenches: Width Total Length Bed: Area	
i) Seepage Pits: Design Percolation Rate	
Number of Pits Total Percolating Area Provided	
4. Attachments (Check items included):	
General Plan of System Showing Location of All System Components	
Cross-Sections of Each System Component Including Grease Trap, Septic Tank, Dosing Tank, Disposal Field, Seepage Pits and Interceptor	;
Drains	
Pump Performance Curve	
Other Specify	
5. I hereby certify that the information furnished on Form 4 of this	
application (and attachments thereto) is true and accurate. I am aware that	
falsification of data is a violation of the Water Pollution Control Act	
(N.J.S.A. 58:10A-1 et seq.) and is subject to penalties as prescribed in	
N.J.A.C. 7:14-8.	
Signature of Professional Engineer Date	

(Revised February 17, 2015)

MUNICIPALITY

Form 5. Design of Pressure Dosing System	
	Configuration of Distribution Network: Type of Manifold: End Central Distribution Laterals: Number Length(ft) Spacing(ft) Hole Diameter(ins) Hole Spacing(in) Diameter of Laterals(in)
2.	Lateral Discharge Rate: Design Pressure Head at Supply End of Laterals, H , ft Hole Discharge Rate, Q, gpm Number of Holes per Lateral, n Lateral Discharge Rate, (Q x n) gpm
3.	Manifold Length(ft) Manifold Diameter(in)
4.	System Discharge Rate, gpm
	Diameter of Delivery Pipe Length of Delivery Pipe Friction Loss in Delivery Pipe, H, ft Elevation of Dosing Tank Low Water Level Elevation of Lateral Invert Elevation Head, H, ft Total Operating Head, H (H + H + H), ft Pump Model Rate Horsepower Pump Discharge Rate at Total Operating Head, gpm
	Diameter of Delivery Pipe Length of Delivery Pipe Friction Loss in Delivery Pipe, H , ft Velocity Head, H , ft Total Operating Head, H (H + H + H) ft Elevation of Lateral Invert Elevation of Siphon Invert
6.	Dose Volume: Design Volume of Sewage, gal/day Design Permeability, in/hr or Percolation Rate, min/in Interval Volume of Distribution Network Dose Volume
7.	I hereby certify that the information furnished on Form 4 of this application (and attachments thereto) is true and accurate. I am aware that falsification of data is a violation of the Water Pollution Control Act (N.J.S.A. 58:I0A-1 et seq.) and is subject to penalties as prescribed in N.J.A.C. 7:14-8.
Si	gnature of Professional Engineer Date